



System Solution Guide - Preview

Industrial Motor Drive



onsemi.com



Table of Contents

[Get Latest Version](#)

Overview

Application

03

System Description

Opportunities for CO2 Reduction

04

Commonly Used Motor Types

05

Solution Overview

Motor Drive Top Level Topology

08

Motor Drive Architecture

09

Inductive Sensing

10

Power Factor Correction

11

Elite SiC JFET

12

Inverter Switch Variety

14

IGBT – Cost-effective Switch

15

EliteSiC MOSFET – Best Performance

16

Intelligent Power Modules – Highly Integrated and Reliable

17

Power Integrated Modules (PIM) – Highest Power

19

Elite Power Simulator Powered by PLECS®

20

Importance of Correct Gate Drive Voltage

21

Recommended Products

22

Complementary Products

25

The onsemi logo is displayed in a large, dark blue font. To its right, there is a smaller image of the 'System Solution Guide Industrial Motor Drive' document, which features the onsemi logo, a motor image, and the title. The background of the entire page has a subtle hexagonal pattern.

Register now to unlock all System Solution Guides



1



2



3




4



5




6



7




8




9



10




11



12



13



14



15




16



17



18



19




20

Block Diagram

Get Latest
Version

Motor Drive Top Level Topology

Block diagram below represents industrial motor drive solution recommended by **onsemi**. Most important building block is AC-AC stage. In the past considerable number of motors were directly powered from mains, but it is more efficient to use AC/DC converter and then inverter stage. Other important parts include control unit, which contains algorithm and controls whole system, sensing which delivers feedback and auxiliary power supply providing low voltage rails.



Use our Interactive Block Diagrams Tool



Open IBD Tool

Solution Overview

Get Latest Version

Inverter Switch Variety

A motor control system can be designed using discrete components (IGBT, Si MOSFET, SiC MOSFET, diodes, gate drivers, etc.) or power modules, which integrate multiple parts. These modules can integrate a three-phase half bridge, one half bridge, or even include a brake, PFC, or gate driver in one package.

Suitable power switch from onsemi can be selected from figure 18, depending on the application, desired power, and motor voltage. Discrete solutions using IGBT or SiC can be utilized for single phase applications up to approximately 5 kW. Power modules can be divided into power integrated modules (PIM), and the intelligent power modules (IPM). The use of modules offers numerous advantages over the discrete solutions.




Fig.18: Recommended inverter solution depending on the desired power level and bus voltage

Since modules integrate power components as well as protections (such as UVLO, short-circuit protection, thermal sensing, etc.) they reduce required space and are more reliable since they are fully tested. onsemi offers modules in SiC and IGBT technology in various packages and with numerous topologies and features.

Power integrated modules integrate the discrete output stage and AC/DC converter into a single part. Some of the PIMs integrate a brake, which is why they are known as converter inverter brake (CIB) PIMs. PIMs still require separate and suitable gate drivers.

Intelligent power modules, in addition to the inverter stage, also include gate driver and protection. They greatly reduce the system size and time to market. An example of an onsemi IPM and its elements is illustrated in the figure 19.




Fig.19: Level of integration of **onsemi** Intelligent power module

Solution Overview

Get Latest
Version

IGBT – Cost-effective Switch

IGBTs are optimal for high-voltage applications, as they provides a higher blocking voltage for equivalent material thickness, compared to the Si MOSFETs. IGBT switches are cost-effective and mainstream solution. Their disadvantage is that they have a lower possible switching frequency, which means that the used inductors would be larger. IGBTs have a long history of driving motors at frequencies up to 20 kHz.

Field Stop VII, IGBT, 1200V

- New Family of 1200 V Trench Field Stop VII IGBT
- Low VCE(SAT) type for motor control applications – increases the power that can be handled and decreases the power losses generated as heat and thus improves cooling
- Improved parasitic cap for high-frequency operation, high ruggedness
- 1200V Gen7 diode for low VF and softness – lower voltage drop decreases the conduction losses and softness refers to the reverse recovery of the diode. The softer is the reverse recovery the less noise and fewer electromagnetic interference (EMI) issues




Fig.20: Comparison of softness of Gen7 and previous Gen diode

Diode softness is defined as diode recovery softness factor (RRSF),

$$RRSF = \frac{\left| \frac{dI_{rise}}{dt} \right|}{\left| \frac{dI_{fall}}{dt} \right|}$$

where dI_{rise}/dt is the maximum slope when reverse current rise from 0 to peak during turn-off, dI_{fall}/dt is the maximum slope the reverse current falls from peak to 0. As Figure 20 shows, latest Gen7 diode has softness of 5, three times improved than previous generation.

[Read More](#)

IGBT FGY100T120RWD

- 1200V, 100A IGBT from FS7 family
- Integrated Gen7 diode
- $V_{CE(SAT)} = 1.4V$, $T_{jmax} = 175^{\circ}C$
- Positive temperature coefficient for easy parallel operation
- Low conduction loss and optimized switching for motor control applications




Fig.21: TO-247-3 package







Fig.22: Switching losses of 1200V IGBT from FS7 family

onsemi™

Intelligent Technology. Better Future.

Register now to unlock all System Solution Guides and get additional exclusive benefits!

-  Join the conversation on community forum.
-  Utilize Elite Power Simulator & other developer tools.
-  Watch exclusive webinars and seminars.

Open full System Solution Guide



onsemi, the onsemi logo, and other names, marks, and brands are registered and/or common law trademarks of Semiconductor Components Industries, LLC dba "onsemi" or its affiliates and/or subsidiaries in the United States and/or other countries. onsemi owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of onsemi's product/patent coverage may be accessed at www.onsemi.com/site/pdf/Patent-Marking.pdf. onsemi reserves the right to make changes at any time to any products or information herein, without notice. The information herein is provided "as-is" and onsemi makes no warranty, representation or guarantee regarding the accuracy of the information, product features, availability, functionality, or suitability of its products for any particular purpose, nor does onsemi assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. Buyer is responsible for its products and applications using onsemi products, including compliance with all laws, regulations and safety requirements or standards, regardless of any support or applications information provided by onsemi. "Typical" parameters which may be provided in onsemi data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. onsemi does not convey any license under any of its intellectual property rights nor the rights of others. onsemi products are not designed, intended, or authorized for use as a critical component in life support systems or any FDA Class 3 medical devices or medical devices with a same or similar classification in a foreign jurisdiction or any devices intended for implantation in the human body. Should Buyer purchase or use onsemi products for any such unintended or unauthorized application, Buyer shall indemnify and hold onsemi and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that onsemi was negligent regarding the design or manufacture of the part. onsemi is an Equal Opportunity/Affirmative Action Employer. This literature is subject to all applicable copyright laws and is not for resale in any manner.